E 10 CENTS

985421

BOOK No. 154

So You're Going to

KNIT A SWEATER!

746.1
S763so

ART ROOM
Milwaukee Public Library

BEST GIRL No. 1216

DIRECTIONS ON PAGE 20



Sweaters Go To All Points Smartly

Wherever you go . . . whatever you do . . . you can do it in a sweater, for it's a sweater world whether you're a stay-at-home or on the wing! These Chadwick's Red Heart Sweaters consider the comprehensive sweater needs of the smart American woman . . . casual little affairs . . . honest-to-goodness sports types . . . classic designs . . . and sophisticated sweater-blouses for town.

+

KNOW YOUR CHADWICK'S
RED HEART WOOLS!

SWEATER WOOL . . . Just introduced . . . a soft, fluffy thick wool, not too heavy . . . just right!
SPORTS YARN . . . smooth, even textured.
SHETLAND FLOSS . . . a soft, hairy texture.
KNITTING WORSTED . . . sturdy and heavy.

Copyright 1940, The Spool Cotton Company
H-5486 C-3 Sixth Edition Printed in U.S.A.

Take Off

No. 1213 . . . New moss stitch cable makes this twin set very special . . . used on entire cardigan, and front of pullover. DIRECTIONS ON PAGE 10.

ART ROOM
Milwaukee Public Library

of Chadwick's
RED HEART
SWEATER WOOL

Right: No. 1223
CAFÉ SOCIETY . . . Lacy, with a charming scalloped yoke . . . this makes a lovely three color sweater-blouse for daytime . . . stunning with a long skirt for evening as well. DIRECTIONS ON PAGE 5.

Left: No. 1215
TEA TIME . . . A young, taut waistline . . . that's what the higher ribbing gives. Pretty-as-a-picture fagotting effect with soft fullness on the sleeves. DIRECTIONS ON PAGE 5.

of Chadwick's
RED HEART
SHETLAND
FLOSS

Café Society

No. 1223 . . . Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SWEATER WOOL, 8 balls (1 oz. balls) of main color for size 14; 9 balls main color for size 16; 10 balls main color for size 18. Also 1 ball of each of 2 contrasting colors, to be referred to as A and B, for all sizes.

MILWARD'S Casein Knitting Pins, 1 pair No. 5 (4 mm. size) and 1 pair No. 9 (5¼ mm. size).

1 Crown open end zipper, Style F.50, 16-inch for sizes 14 and 16; 18-inch for size 18.

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust (sweater buttoned):	33″	35″	37″
Width across back at underarm:	16″	17″	18″
Width across each front at underarm:	8½″	9″	9½″
Width across back between armholes:	13″	13½″	14″
Width across each front at armhole:	6½″	6¾″	7″
Length from top of shoulder:	19½″	20½″	21½″
Length of side seam:	12″	12½″	13½″
Length of sleeve, underarm seam:	11½″	11½″	11½″
Width of sleeve at upper arm:	13″	14″	14″

GAUGE: 1 pattern (13 sts) makes 2½ inches; 6 rows make 1 inch.

Sizes	14	16	18
BACK . . . With main color and No. 5 needles cast on	62 sts	62 sts	74 sts
Work in ribbing of k 1, p 1, for 8 rows.	All sizes		
Change to No. 9 needles and work as follows: **1st row:** K 6, * 0, k 1, 0, k 4, k 2 tog., k 5. Repeat from * across, ending with 0, k 1, 0, k 4, k 2 tog., k 1. There are on needle	67 sts	67 sts	80 sts
2nd row: Purl across. **3rd row:** K 1, * k 2 tog., k 4, 0, k 1, 0, k 4, k 2 tog. Repeat from * across, ending with k 1. Repeat the 2nd and 3rd rows alternately for pattern until piece measures, in all (Always measure along the k-1 between the 0's.)	4½″ all sizes		
Inc. 1 st at both ends of next row and every	6th row	4th row	6th row
Until there are on needle	81 sts	87 sts	92 sts
Work straight until piece measures, in all	12″	12½″	13½″
To Shape Armholes: Bind off at beginning of next 2 rows	4 sts	5 sts	6 sts
On size-18 only, omit the first 0 of first pattern, and the last 0 of last pattern. Dec. 1 st at end of each row until there remain	65 sts	69 sts	72 sts
Work straight until piece measures, from 1st row of armhole shaping	6½″	7″	7″
To shape shoulders, take off on stitch holders at end of next 2 rows	6 sts	8 sts	9 sts
Take off at end of next 4 rows	7 sts all sizes		
For back of neck, bind off the remaining	25 sts	25 sts	26 sts
With No. 5 needles pick up from one stitch holder the	20 sts	22 sts	23 sts
Work 8 rows (4 ridges) in garter stitch (k each row). Bind off. Work other shoulder in same way.	All sizes		
LEFT FRONT . . . With main color and No. 5 needles cast on	33 sts	39 sts	39 sts
Work in ribbing of k 1, p 1, for 8 rows.	All sizes		
Change to No. 9 needles and work as follows: **1st row:** K 6, * 0, k 1, 0, k 4, k 2 tog., k 5. Repeat from * across, ending as follows: SIZE 14 ONLY: 0, k 3. SIZES 16 AND 18: K 2 tog., k 2.			
There are on needle	36 sts	42 sts	42 sts
2nd row: Purl across. **3rd row:** K 1, * k 2 tog., k 4, 0, k 1, 0, k 4, k 2 tog. Repeat from * across, ending at front edge with	O, k 3	K 2	K 2
Repeat the 2nd and 3rd rows alternately for pattern until piece measures, in all	4½″ all sizes		
Inc. 1 st at beginning of next row (underarm edge) and every	5th row	8th row	6th row
Until there are	44 sts	47 sts	50 sts
Work straight until piece measures, in all	11″	11½″	12½″
Change to contrasting color A and work 1 inch straight. **To Shape Armhole:** Bind off at underarm edge once	4 sts	5 sts	6 sts
On sizes 16 and 18 only, omit the first 0 at armhole edge. Dec. 1 st at armhole edge every other row until there remain	35 sts	37 sts	38 sts
Work straight until piece measures, from 1st row of color A	3½″	3½″	4″
Change to contrasting color B and work straight for 2½ inches. To shape neck, bind off 9 sts at front edge once. Then bind off 2 sts at neck edge every other row 3 times. Piece should now measure, from 1st row of armhole shaping	6″	6½″	6½″
Bind off at armhole edge once	6 sts	8 sts	9 sts
Bind off 7 sts at armhole edge every other row twice.	All sizes		
RIGHT FRONT . . . Work to correspond with Left Front.			
SLEEVES . . . With main color and No. 5 needles cast on 50 sts. Work in ribbing of k 1, p 1, for 8 rows.	All sizes		
For sizes 14 and 16 continue to work on No. 5 needles. For size 18 change to No. 9 needles. **1st row:** Same as for Back. There are on needle	54 sts all sizes		
Work straight in pattern until piece measures, in all	3″ all sizes		
Now work on No. 9 needles for all sizes, increasing 1 st at both ends of next row and every 4th row until there are	68 sts	72 sts	72 sts
Work straight until sleeve measures 11½ inches in all. To shape top, bind off 4 sts at beginning of next 2 rows. Dec. 1 st at end of each row until 54 sts remain. Work straight until sleeve measures, from 1st row of top shaping	5″	5½″	5½″
Bind off 5 sts at beginning of each row until 14 sts remain. Bind off.	All sizes		

Block all pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up underarm, sleeve and shoulder seams. Sew in sleeves, shirring extra fullness across top 3 inches of shoulder, having center of sleeve meet center of garter-stitch band at shoulder. With self color, work 2 rows of s c around neck edge, holding in neck to fit. Sew in zipper and shoulder pads.

Tea Time

No. 1215

Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SHETLAND FLOSS, 7 balls (1 oz. balls) for size 14; 8 balls for size 16; 9 balls for size 18.

MILWARD'S Phantom Knitting Pins, 1 pair No. 2 (2¾ mm. size.)

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust:	33″	35″	37″
Width across back or front at underarm:	16½″	17½″	18½″
Width across back or front between armholes:	13½	14″	14½″
Length from top of shoulder:	18½″	18½″	19″
Length of side seam:	12″	12″	12″
Length of sleeve, underarm seam:	4″	4″	4½″
Width of sleeve at underarm:	12½″	12½″	13½″

Continued on page 18

Campus Belle

No. 1220 . . . Chadwick's Red Heart Sports Yarn

Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SPORTS YARN, 12 balls (1 oz. balls) for size 14; 13 balls for size 16; 14 balls for size 18.

MILWARD'S Phantom Knitting Pins, 1 pair No. 2 (2¾ mm. size) and 1 pair No. 4 (3½ mm. size).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust:	33″	35″	37″
Width across back or front at underarm:	16½″	17½″	18½″
Width across back or front between armholes:	13½″	14″	14½″
Length from top of shoulder:	22″	22½″	23½″
Length of side seam:	15″	15″	16″
Length of sleeve, underarm seam:	18″	18″	19″
Width of sleeve at upper arm:	12½″	13½″	13½″

GAUGE: (For k 3, p 1 pattern of Back) *13 sts make 2 inches; 9 rows make 1 inch.*

CABLE PATTERN . . . Worked over 18 sts as follows: **1st row:** *(Right side)* P 2, (k 2, p 2) 4 times. **2nd and all even rows:** K 2, (p 2, k 2) 4 times. **3rd row:** Same as 1st row. **5th row:** P 2, k 2, p 2, slip next 2 sts onto double-pointed needle and hold in front of work. K 2, p 2, k the 2 sts from the double-pointed needle, p 2, k 2, p 2. **7th row:** *Same as 1st row.* **9th row:** P 2, slip next 2 sts onto double-pointed needle and hold in front of work, k 2, p 2, k the 2 sts from double-pointed needle. P 2, slip next 4 sts onto double-pointed needle and hold in back of work, k 2, p first 2 sts from double-pointed needle, k the next 2 sts from double-pointed needle, p 2. **11th row:** P 2, k 2, p 2, slip next 2 sts onto double-pointed needle and hold in front of work. K 2, p 2, k the 2 sts from double-pointed needle, p 2, k 2, p 2. **12th, 13th and 14th rows:** Repeat 2nd, 1st and 2nd rows. Repeat the 1st to 14th rows inclusive for pattern.

Sizes	14	16	18
BACK . . . With No. 2 needles cast on	108 sts	116 sts	120 sts
Work in ribbing of k 2, p 2, for	3″	3″	3½″
Dec. 1 st and change to No. 4 needles. **1st row:** (Right side) K 3, * p 1, k 3. Repeat from * across. **2nd row:** P 3, * k 1, p 3. Repeat from * across. Repeat *these 2 rows alternately* for	12″	12″	12½″
To Shape Armholes: Bind off at beginning of next 2 rows	4 sts	5 sts	6 sts
Dec. 1 st at both ends of every 3rd row until there remain	87 sts	91 sts	93 sts
Work straight until piece measures (from 1st row of armhole shaping)	6½″	7″	7″
To shape shoulders, bind off 6 sts at beginning of next 6 rows. Then bind off at beginning of following 2 rows	8 sts	8 sts	9 sts
For back of neck, bind off the remaining	35 sts	39 sts	39 sts
FRONT . . . With No. 2 needles cast on	108 sts	116 sts	124 sts
Work in ribbing of k 2, p 2, for	3″	3″	3½″
Inc. 19 sts evenly across last row of *ribbing.*		*All sizes*	
Change to No. 4 needles and work as follows over *the*	127 sts	135 sts	143 sts
1st row: (K 3, p 1)	4 times	5 times	6 times
(K 3, insert a marker on the needle, work *1st row of* CABLE PATTERN *over the next* 18 sts, insert a marker) twice. (K 3, p 1) twice. (K 3, insert a marker, work 1st row of CABLE PATTERN over the next 18 sts, insert a marker) twice. K 3.		*All sizes*	
(P 1, k 3)	4 times	5 times	6 times
2nd row: (P 3, k 1)	4 times	5 times	6 times
(P 3, slip marker, work 2nd row of CABLE PATTERN over the next 18 sts, slip marker) *twice.* (P 3, k 1) twice. (P 3, slip marker, work 2nd row of CABLE PATTERN over the next 18 sts, slip marker) twice. P 3.		All sizes	
(K 1, p 3)	4 times	5 times	6 times
Follow ribbed pattern as established on last 2 rows, working the four 18-stitch sections between markers in CABLE PATTERN, until piece measures (in all)	15″	15″	16″
To Shape Armholes: Bind off at beginning of next 2 rows	4 sts	5 sts	6 sts
Dec. 1 st at both ends of every other row	6 times	7 times	7 times
Work straight until piece measures, from 1st row of armhole shaping	3½″	4″	4″
Discontinue crossing cables on two center cable sections, working the 18 sts between markers in p 2, k 2, ribbing, meanwhile shaping for neck as follows: work *across*	46 sts	48 sts	51 sts
For front of neck, bind off the next 15 *sts, and work across the remaining*	46 sts	48 sts	51 sts
Turn and work over *this last set of sts* only, binding off 3 sts at neck edge every other row twice. Then dec. 1 st at neck edge every other row until there remain	32 sts	34 sts	37 sts
Work straight until piece measures, from 1st row of armhole shaping	6½″	7″	7″
Bind off. Attach yarn and work other side to correspond.		All sizes	
SLEEVES . . . With No. 2 needles, cast on	52 sts	56 sts	56 sts
Work *in* ribbing of k 2, p 2, for 3 inches, increasing on last row to	56 sts	64 sts	64 sts
Change to No. 4 needles and work as follows: **1st row:** (K 3, p 1)	4 times	5 times	5 times
K 3, insert marker, work 1st row of CABLE PATTERN across next 18 sts, insert marker, k 3.		All sizes	
(P 1, k 3)	4 times	5 times	5 times
2nd row: (P 3, k 1)	4 times	5 times	5 times
P 3, slip marker, work 2nd row of CABLE PATTERN across next 18 sts, slip marker, p 3.		All sizes	
(K 1, p 3)	4 times	5 times	5 times
Continue to work in pattern as estab*lished on last 2 rows, increasing* 1 st at both ends of next row and every 8th row thereafter until there are	86 sts	92 sts	92 sts
(Work increased sts in k 3, p 1 ribbing.)			
Work straight until piece measures, in all	18″	18″	19″
To shape top, bind off 4 sts at beginning of next 2 rows. Then dec. 1 st at end of each row until there remain	62 sts	66 sts	66 sts
Bind off 2 sts at beginning of next	6 rows	8 rows	8 rows
Bind off 3 sts at beginning of following 8 rows. Bind off the remaining 26 sts.		*All sizes*	

FRONT NECK BAND . . . With right side facing, using No. 2 needles, pick up 80 sts along neck edge. Work in ribbing of k 2, p 2, for 8 rows. *Bind off in ribbing.*
All sizes

BACK NECK BAND . . . With right side facing, using No. 2 needles, pick up across *back of neck*	44 sts	44 sts	48 sts
Work as for front neck band.		*All sizes*	

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up underarm and shoulder seams, *confining shoulders of sizes 14 and 16 to* 4 inches, and size 18 to 4½ inches—excluding neck bands. Sew up sleeve seams and sew in sleeves, having center of cable panel at shoulder seam.

Campus Belle No. 1220 . . . A new double entwined cable stitch plays smart tricks on the front of this classic pullover sweater . . . sleeves and back interestingly ribbed.

Surprise Package No. 1219 . . . Sizes 14, 16, 18 and 20

MATERIALS:

CHADWICK'S RED HEART SHETLAND FLOSS, 11 balls (1 oz. balls) for size 14; 12 balls for sizes 16 and 18; 13 balls for size 20.

MILWARD'S Phantom Knitting Pins, 1 pair No. 4 (3½ mm. size).

MILWARD'S Casein Knitting Pins, 1 pair No. 9 (5¼ mm. size).

7 buttons (for all sizes).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18	20
Bust (sweater buttoned):	34″	36″	38″	40″
Width across back at underarm:	17″	18″	19″	20″
Width across each front at underarm:	9″	9½″	10″	10½″
Width across back between armholes:	13½″	14″	14½″	15″
Width across each front at armhole:	7½″	7¾″	8″	8¼″
Length from top of shoulder:	23½″	24″	24½″	25″
Length of side seam:	16″	16″	16½″	16½″
Length of sleeve, underarm seam:	18″	18″	19″	19″
Width of sleeve at upper arm:	12″	12½″	13″	13½″

GAUGE: FOR BACK—9 rows make 1 inch. FOR FRONT—7 rows make 1 inch.

Sizes	14	16	18	20

BACK . . . With No. 4 needles cast on *118 sts 126 sts 134 sts 142 sts*

1st row: K 2, p 2 alternately across, ending with k 2.

2nd row: P 2, k 2 alternately across, ending with p 2. Repeat these 2 rows *alternately until piece measures*

16″ 16″ 16½″ 16½″

To Shape Armholes: Bind off at beginning of next 2 rows

6 sts 7 sts 7 sts 8 sts

Dec. 1 st at end of each row until there remain 94 sts 98 sts 102 sts 106 sts

Work straight until piece measures, from 1st row of armhole shaping

6½″ 7″ 7″ 7½″

To shape shoulders, bind off at beginning of next 4 rows

8 sts 9 sts 9 sts 9 sts

Bind off at beginning of following 4 rows 8 sts 8 sts 8 sts 9 sts

For back of neck, bind off the remaining 30 sts 30 sts 34 sts 34 sts

LEFT FRONT . . . With No. 9 needles cast on 55 sts 55 sts 63 sts 63 sts

1st row: (Right side) * K 2, p 2, (inc. 2 sts in next st by knitting in the front, *in the back and in the front of the st*) twice; p 2. Repeat from * to 7 sts from end of row, k 2, p 2, k 2, p 1 (front border). ***2nd row:*** K 1, p 2, k 2, p 2, * k 2; (O, p 1) 6 times; k 2, p 2. Repeat from * across. **3rd row:** * K 2, p 2, (k 1, drop O off needle) 6 times; p 2. Repeat from * to 7 sts from end of row, k 2, p 2, k 2, p 1. **4th and 5th rows:** Same as 2nd and 3rd rows. **6th row:** K 1, p 2, k 2, p 2, * k 2, (p 3 tog.) twice, k 2, p 2. Repeat from * across. **7th row:** (K 2, p 2) twice; * (inc. 2 sts in next st by knitting in the front, in the back and in the front of the st) twice; p 2, k 2, p 2. Repeat from * to 7 sts from end of row, k 2, p 2, k 2, p 1. **8th row:** K 1, p 2, k 2, p 2, * k 2, p 2, k 2; (O, p 1) 6 times. Repeat from * *to 8 sts from end of row,* (k 2, p 2) twice. **9th row:** (K 2, p 2) twice; * (k 1, drop O off needle) 6 times; p 2, k 2, p 2. *Repeat from * to 7 sts from end* of row, k 2, p 2, k 2, p 1. **10th and 11th rows:** Same as 8th and 9th rows. **12th row:** K 1, p 2, k 2, p 2; * k 2, p 2, k 2; (p 3 tog.) twice. Repeat from * to 8 sts from end of row, (k 2, p 2) twice. Repeat these 12 rows for pattern (ending with either the 6th or 12th row of pattern) for

15″ all sizes

With right side facing, work in k 2, p 2 *ribbing over the first*

12 sts 12 sts 16 sts 16 sts

following pattern on remainder of row.

Continue to work in this manner (ribbing at side edge) until piece measures, in all 16″ 16″ 16½″ 16½″

To Shape Armhole: With right side facing, bind off once

5 sts 5 sts 6 sts 6 sts

Dec. 1 st at armhole edge every other row until there remain

43 sts 45 sts 49 sts 51 sts

Work straight until armhole is about 1 inch shorter than Back armhole (ending with either the 6th or 12th row of pattern). All sizes

Now work the last 19 sts (at front edge) in k 2, p 2, ribbing and continue thus until piece measures, in all

22½″ 23″ 23½″ 24″

To shape neck, bind off at front edge once

16 sts 17 sts 17 sts 18 sts

Work straight in ribbing, binding off at armhole edge every other row until none *remain* 9 sts 7 sts 8 sts 11 sts

RIGHT FRONT . . . Work to correspond, *reversing shapings and making a buttonhole 3 sts in from front edge on the 15th row and on every 24th row thereafter until 7 in all are made—to make a buttonhole, on one row bind off 2 sts; on next row cast on 2 sts to replace those bound off.* All sizes

SLEEVES . . . With No. 4 needles cast on *46 sts 46 sts 50 sts 50 sts*

Work in ribbing of k 2, p 2, for

3″ all sizes

Inc. 1 st at both ends of next row and every 6th row thereafter until there are

82 sts 86 sts 90 sts 94 sts

Work straight until piece measures

18″ 18″ 19″ 19″

To shape top, bind off 4 sts at beginning of next 2 rows. Then bind off 2 sts at beginning of the following

8 rows 12 rows 12 rows 16 rows

Dec. 1 st at end of each row until there remain

40 sts 40 sts 44 sts 44 sts

Bind off 2 sts at beginning of next 8 rows. Bind off the remaining

24 sts 24 sts 28 sts 28 sts

Pin fronts out to measurements given and steam lightly with a hot iron through a wet cloth. Block other pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up underarm and shoulder seams. Sew up sleeve seams and sew in sleeves. Work 2 rows of s c along front and neck edges, keeping work flat. Sew on buttons. Sew snap fastener at neck edge.

Saratoga

No. 1218

Sizes 14, 16, 18 and 20

MATERIALS:

CHADWICK'S RED HEART SWEATER WOOL, 16 balls (1 oz. balls) for size 14; 17 balls for size 16; 18 balls for size 18; 20 balls for size 20.

MILWARD'S Phantom Knitting Pins, 1 pair No. 6 (4¼ mm. size).

8 buttons (for all sizes).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18	20
Bust (sweater buttoned):	34½″	36½″	38½″	40½″
Width across back at underarm:	16½″	17½″	17½″	19½″
Width across each front at underarm:	9½″	10″	11″	11″
Width across back between armholes:	13″	13½″	14″	14½″
Width across each front at armhole:	6½″	7″	7½″	8″
Length from top of shoulder:	25½″	26″	26″	26½″
Length of side seam:	18″	18″	18″	18″
Length of sleeve, underarm seam:	17½″	17½″	18″	18½″

GAUGE: 11 sts make 2 inches; 8 rows make 1 inch.

Sizes	14	16	18	20

BACK . . . Cast on *93 sts 98 sts 98 sts 108 sts*

1st row: K 3, * p 2, k 3. Repeat from * across (right side).

2nd row: P 3, * k 2, p 3. Repeat from * across. Repeat these 2 rows alternately for pattern until piece measures

18″ all sizes

Continued on page 19

of Chadwick's
RED HEART
SHETLAND FLOSS

Left: No. 1219
SURPRISE PACKAGE . . . It feels as light as a breeze, for all the smart bulky look that the spongy front gives. Back and sleeves take to clever ribbing.
DIRECTIONS ON PAGE 8.

of Chadwick's
RED HEART
SWEATER WOOL

Right: No. 1218
SARATOGA . . . Lay bets on this sweater — with ribbing that accentuates the long-bodied line . . . and a staccato accent of penny buttons to make it the favorite.
DIRECTIONS ON PAGE 8.

Honey Chile No. 1221 . . . Chadwick's Red Heart Sports Yarn

Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SPORTS YARN, 8 balls (1 oz. balls) for size 14; 9 balls for size 16; 10 balls for size 18.

MILWARD'S Phantom Knitting Pins, 1 pair No. 2 (2¾ mm. size) and 1 pair No. 4 (3½ mm. size).

MILWARD'S Steel Crochet Hook No. 6. 9 buttons (for all sizes).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust (sweater buttoned):	33½"	35½"	37½"
Width across back at underarm:	16"	17"	18"
Width across each front at underarm:	9"	9½"	10"
Width across back between armholes:	12½"	13½"	14½"
Width across each front at armhole:	6¾"	7¼"	7¾"
Length from top of shoulder:	19½"	19¾"	20"
Length of side seam:	12"	12"	12"
Length of sleeve, underarm seam:	4"	4"	4"
Width of sleeve at upper arm:	13"	13"	14"

GAUGE: (Ribbing) 8 rows make 1 inch. (Smocked Stitch) 8 sts make 1 inch; 8 rows make 1 inch.

Sizes	14	16	18
BACK . . . With No. 2 needles cast on	106 sts	114 sts	122 sts
Work in ribbing of k 2, p 2, for	4½" all sizes		
Change to No. 4 needles and continue in ribbing, increasing 1 st at both ends of every 4th row until there are	128 sts	136 sts	144 sts
Work straight until piece measures, in all	12" all sizes		
To Shape Armholes: Bind off 4 sts at beginning of next 2 rows. Then bind off 2 sts at beginning of following 4 rows.	All sizes		
Dec. 1 st at end of each row until there remain	102 sts	110 sts	118 sts
Work straight until piece measures, from 1st row of armhole shaping (beginning and ending last row with k 2)	3½"	3½"	4"
Now work yoke as follows: **1st row:** (Right side) P 2, * k 2 tog., inc. in next st, p 1. Repeat from * across, ending with k 2 tog., p 2. There are on needle	101 sts	109 sts	117 sts

2nd row: K 2, * p 1, k 3. Repeat from * across, ending with p 1, k 2. **3rd row:** P 2, * k 1, p 3. Repeat from * across, ending with k 1, p 2. **4th row:** Same as 2nd row. **5th row:** P 2, * make a smocked stitch over next 5 sts—*to make a smocked stitch, yarn in front of work, slip next 5 sts onto right-hand needle, pass yarn to back of work, put slipped sts back onto left-hand needle, draw yarn tightly and k 1, p 3, k 1.* P 3. Repeat from * across, ending with k 1, p 2. **6th to 8th rows incl:** Repeat 2nd, 3rd and 2nd rows. **9th row:** P 2, k 1, * p 3, make a smocked stitch over next 5 sts. Repeat from * across, ending with p 2. The last 8 rows (2nd to 9th rows incl.) constitute the pattern. Repeat pattern until piece measures, from 1st row of armhole shaping 6½" 6½" 7"

To shape shoulders, bind off at beginning of each row	8 sts	7 sts	9 sts
Until there remain	37 sts	39 sts	45 sts
Bind off for back of neck.	All sizes		

LEFT FRONT . . . With No. 2 needles cast on	64 sts	68 sts	72 sts
Work in ribbing of k 2, p 2, for	4½" all sizes		
Change to No. 4 needles and continue in ribbing, increasing 1 st at underarm edge every 4th row until there are	75 sts	79 sts	83 sts
Work straight until piece measures, in all	12" all sizes		
To Shape Armhole: Starting at underarm edge, bind off 6 sts once, then 2 sts every other row 5 times.	All sizes		
Dec. 1 st at same edge every other row until there remain	54 sts	58 sts	62 sts
Starting at armhole edge, work in Yoke Pattern as for Back until piece measures, from 1st row of armhole shaping	5¼"	5¼"	5¾"
Starting at front edge, bind off for neck	21 sts	22 sts	25 sts
Work straight in pattern over the remaining	32 sts	35 sts	36 sts
Until armhole measures same as Back armhole. Shape shoulder by binding off at armhole edge every other row until none remain	8 sts	7 sts	9 sts

RIGHT FRONT . . . Work to correspond with Left Front, reversing shapings and making a buttonhole 2 sts in from front edge after the first inch for sizes 14 and 16; 1¼ inches for size 18 then every 2 inches thereafter until 9 in all are made—*to make a buttonhole, on one row bind off 2 sts; on next row cast on 2 sts to replace those bound off.*

All sizes

SLEEVES . . . With No. 4 needles cast on	73 sts	73 sts	81 sts
Work 2nd to 9th rows incl. of Yoke Pattern until piece measures	3" all sizes		
With right side facing, work next row as follows: (P 2, k 2)	5 times	5 times	6 times
P 2, inc. in each of next 29 sts; then (p 2, k 2)	5 times	5 times	6 times
P 2.	All sizes		
There are on needle	102 sts	102 sts	110 sts
Next row: K 2, p 2 alternately across. **Following row:** P 2, k 2 alternately across. Repeat last 2 rows alternately until piece measures, in all	4" all sizes		
To shape top, dec. 1 st at end of each row until there remain	56 sts all sizes		
Bind off 18 sts at beginning of next 2 rows.	All sizes		
Work over remaining 20 sts for 2¼ inches. Bind off.	All sizes		

Block all pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up shoulder and underarm seams. Sew both 2¼-inch edges of sleeve to bound-off edges (18 sts). Sew up sleeve seams and sew in sleeves. Work a row of s c up Right Front edge, around entire neck edge (being careful to preserve square-cut neckline) and down Left Front edge. Ch 1, turn. Work s c in each s c around. Sew on buttons. Sew in shoulder pads, if desired.

Take Off

No. 1213

Illustrated on page 3

PULLOVER No. 1213-A

Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SPORTS YARN, 9 balls (1 oz. balls) for size 14; 10 balls for size 16; 11 balls for size 18.

MILWARD'S Phantom Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 3 (3 mm. size).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust:	33"	35"	37"
Width across back or front at underarm:	16½"	17½"	18½"
Width across back or front between armholes:	13"	14"	14½"
Length from top of shoulder:	19"	20"	20"
Length of side seam:	12½"	13"	13"
Length of sleeve, underarm seam:	4½"	4½"	4½"
Width of sleeve at upper arm:	12½"	13"	13"

Continued on page 16

Honey Chile No. 1221 . . . Little girl smocking is a charming touch on this slim sweater that fits like wallpaper! The smocking's worked in while knitting . . . easy, too!

Play in Knitted

PLAYMATES HOOD
No. 1217-C

COCK O
Wear this ch
Worsted, da

PLAYMATES
No. 1217
Directions
on page 21

...hions...

ART ROOM
Milwaukee Public Library

Casual chunky cardigans are the big news of the year! Whether they're straight and boxy or whether they button snugly, you'll find them grand sports companions. Knit one to wear over slacks, knee length skirts, tailored dresses, or with gay accessories for winter sports.

Extreme left: PLAYMATES No. 1217
For winter playgirls. Three-toned embroidery accents the heavy cable trim on baby bonnet, button-on hood, sweater and mittens.

No. 1228
e of double Knitting
CTIONS ON PAGE 18.

SQUARE PLAY No. 1225
Light as a feather — Make this jaunty checkerboard chunky with grand squared shoulder.
DIRECTIONS ON PAGE 20

Heart Stealer

No. 1224 Sizes 14, 16, 18 and 20

MATERIALS:

CHADWICK'S RED HEART SWEATER WOOL, 15 balls (1 oz. balls) for size 14; 16 balls for size 16; 17 balls for size 18; 18 balls for size 20.

MILWARD'S Casein Knitting Pins, 1 pair No. 3 (3 mm. size) and 1 pair No. 9 (5¼ mm. size).

MEASUREMENTS FOR BLOCKING: Sweater is worked small, as this knitted fabric is very elastic and stretches when worn.

Sizes	14	16	18	20
Bust:	31"	33"	35"	37"
Width across back or front at underarm:	15½"	16½"	17½"	18½"
Width across back or front between armholes:	12½"	13"	13½"	14"
Length from top of shoulder:	22½"	23"	23½"	24"
Length of side seam:	15"	15½"	15½"	16"
Length of sleeve, underarm seam:	17½"	18"	18½"	19"
Width of sleeve at upper arm:	12½"	12½"	13½"	13½"

GAUGE: 7 sts make 1 inch; 6 rows make 1 inch.

Sizes	14	16	18	20
BACK . . . With No. 3 needles cast on	96 sts	100 sts	108 sts	116 sts
Work in ribbing of k 2, p 2, for 3½ inches, increasing evenly across last row	12 sts	14 sts	14 sts	14 sts
Change to No. 9 needles and work as follows over	108 sts	114 sts	122 sts	130 sts
1st row: * Skip 1 st, k in the back of next st, then k in the front of the st which was skipped and allow both sts to slip off left-hand needle. Repeat from * across. **2nd row:** P 1, * skip 1 st, p the next st, then p the st which was skipped and allow both sts to slip off left-hand needle. Repeat from * across, ending with p 1. Repeat these 2 rows alternately for	11½"	12"	12"	12½"
To Shape Armholes: Bind off at beginning of next 2 rows.	3 sts	4 sts	5 sts	6 sts
Dec. 1 st at end of each row (being careful to keep pattern even) until there remain	86 sts	90 sts	94 sts	98 sts
Work straight until piece measures, from 1st row of armhole shaping	6½"	6½"	7"	7"
To shape shoulders, bind off at beginning of next 4 rows	8 sts	9 sts	9 sts	10 sts
Bind off at beginning of following 2 rows	9 sts	9 sts	10 sts	10 sts
For back of neck, bind off the remaining	36 sts	36 sts	38 sts	38 sts
FRONT . . . Work same as for Back until piece measures, in all	15"	15½"	15½"	16"
To Shape Armholes: Bind off at beginning of next 2 rows	5 sts	6 sts	7 sts	8 sts
Dec. 1 st at end of each row until there remain	86 sts	90 sts	94 sts	98 sts
Work straight until piece measures, from 1st row of armhole shaping	4½"	4½"	5"	5"
Next row: To shape neck, work across 1st	25 sts	27 sts	28 sts	30 sts
Bind off the next	36 sts	36 sts	38 sts	38 sts
Work across the remaining	25 sts	27 sts	28 sts	30 sts
Work straight over the last set of sts only until armhole measures same as Back armhole. Bind off. Attach yarn at neck edge and work other side to correspond.	All sizes			
BACK NECK BAND . . . With right side facing, using No. 3 needles, pick up across back of neck	40 sts	40 sts	44 sts	44 sts
Work in ribbing of k 2, p 2, for 7 rows. Bind off in ribbing.	All sizes			
FRONT NECK BAND . . . With right side facing, using No. 3 needles, pick up along neck edge	68 sts	68 sts	72 sts	72 sts
Work as for back neck band.	All sizes			
SLEEVES . . . With No. 3 needles cast on	44 sts	44 sts	48 sts	48 sts
Work in ribbing of k 2, p 2, for 3 inches, increasing evenly across last row.	8 sts	8 sts	12 sts	12 sts
Change to No. 9 needles and work straight in pattern over	52 sts	52 sts	60 sts	60 sts
For	2"	2"	3"	3"
Inc. 1 st at both ends of next row and every 4th row thereafter until there are on needle	86 sts	86 sts	94 sts	94 sts
Work straight until piece measures, in all	17½"	18"	18½"	19"
To shape top, bind off 3 sts at beginning of each row until there remain	38 sts	38 sts	40 sts	40 sts
Then bind off 5 sts at beginning of next 4 rows. Bind off the remaining	18 sts	18 sts	20 sts	20 sts

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up shoulder and underarm seams. Sew up sleeve seams and sew in sleeves.

Prophecy

No. 1212 Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SHETLAND FLOSS, 11 balls (1 oz. balls) for size 14; 12 balls for size 16; 13 balls for size 18.

MILWARD'S Phantom Knitting Pins, 1 pair No. 0 (2 mm. size) and 1 pair No. 2 (2¾ mm. size).

MEASUREMENTS FOR BLOCKING: Sweater is worked small, as this knitted fabric is very elastic and stretches when worn.

Sizes	14	16	18
Bust:	31"	33"	35"
Width across back or front at underarm:	15½"	16½"	17½"
Width across back or front between armholes:	13½"	14"	14½"
Length from top of shoulder:	20"	20½"	21½"
Length of side seam:	13½"	14"	14½"
Length of sleeve, underarm seam:	20"	21"	22"
Width of sleeve at upper arm:	11½"	12"	13"

GAUGE: 11 rows make 1 inch.

PATTERN STITCH . . . (A multiple of 4 sts, plus 2.) Entire sweater is worked in k 2, p 2 ribbing. **1st row:** K 2, * p 2, k 2. Repeat from * across. **2nd row:** P 2, * k 2, p 2. Repeat from * across. Repeat these 2 rows alternately for pattern.

Sizes	14	16	18
FRONT . . . With No. 2 needles cast on	142 sts	150 sts	158 sts
Change to No. 0 needles and work in PATTERN STITCH for	3" all sizes		
Change to No. 2 needles and work straight until piece measures, in all	15"	15½"	16"
To Shape Armholes: Work across	7 sts	8 sts	9 sts
then take these sts off on a safety pin, to be worked later for sleeve.			
Work across the next	128 sts	134 sts	140 sts
Take off on another safety pin the remaining	7 sts	8 sts	9 sts
Dec. 1 st at end of each row until there remain	120 sts	126 sts	130 sts
Work straight until piece measures, in all	19"	19½"	20½"
Next row: To shape neck, work across next	51 sts	54 sts	56 sts
Bind off the next 18 sts, and work to end of row.	All sizes		
Work over the last set of sts only, binding off 2 sts at neck edge every other row until there remain	37 sts	40 sts	38 sts

Continued on page 19

of Chadwick's
RED HEART
SWEATER WOOL

Right: No. 1224

HEART STEALER . . . A lithe young sweater in basket weave stitch, expertly tailored—with well-set shoulders and that long-stemmed lean look that's so new.

of Chadwick's
RED HEART
SHETLAND FLOSS

Left: No. 1212

PROPHECY . . . Look at the way the ribbing follows through on this new longer pullover. Notice, too, the beautifully finished hemmed neckline.

ART ROOM
Milwaukee Public Library

Take Off No. 1213

Continued from page 10

GAUGE: (Pattern Stitch of Front) 20 sts measured across twist make 2¼ inches; 10 rows make 1 inch. (Moss Stitch of Back) 6½ sts make 1 inch; 11 rows make 1 inch.

Sizes	14	16	18
FRONT . . . With No. 1 needles cast on	142 sts	150 sts	158 sts
Work tightly in ribbing of k 2, p 2, for	3"	all sizes	
Change to No. 3 needles and work in pattern as follows: **1st row:** K 1, (p 1, k 1)	2 times	4 times	6 times
* P 2, (k 1, p 1) 3 times; k 2. Repeat from * 12 more times. P 2, k 1. Then (p 1, k 1)	2 times	4 times	6 times
2nd row: K 1. Then (p 1, k 1)	2 times	4 times	6 times
* K 2, (p 1, k 1) 3 times; p 2. Repeat from * 12 more times; k 3. (P 1, k 1)	2 times	4 times	6 times
3rd and 4th rows: Repeat 1st and 2nd rows.	All sizes		
5th row: K 1. Then (p 1, k 1)	2 times	4 times	6 times
* P 2, (k 1, p 1) 3 times; k 2, p 2, make a twist over next 8 sts—*to make a twist, slip next 4 sts onto a double-pointed needle and hold in back of work; k next 4 sts, k the 4 sts from double-pointed needle.* Repeat from * 5 more times.	All sizes		
P 2, (k 1, p 1) 3 times; k 2, p 2, k 1. (P 1, k 1)	2 times	4 times	6 times
6th row: K 1. Then (p 1, k 1)	2 times	4 times	6 times
* K 2, (p 1, k 1) 3 times, p 2, k 2, p 8. Repeat from * 5 more times. K 2, (p 1, k 1) 3 times; p 2, k 3. (P 1, k 1)	2 times	4 times	6 times
7th row: K 1. Then (p 1, k 1)	2 times	4 times	6 times
* P 2, (k 1, p 1) 3 times, k 2, p 2, k 8 Repeat from * 5 more times. P 2, (k 1, p 1) 3 times; k 2, p 2, k 1. (P 1, k 1)	2 times	4 times	6 times
8th to 12th rows incl: Repeat 6th, 7th, 6th, 5th and 6th rows.	All sizes		
13th to 16th rows incl: Repeat 1st and 2nd rows alternately. **17th row:** K 1. (P 1, k 1)	2 times	4 times	6 times
* P 2, make a twist over next 8 sts, p 2, (k 1, p 1) 3 times, k 2. Repeat from * 5 more times. P 2, make a twist over next 8 sts, p 2, k 1. (P 1, k 1)	2 times	4 times	6 times
18th row: K 1. (P 1, k 1)	2 times	4 times	6 times
* K 2, p 8, k 2, (p 1, k 1) 3 times, p 2. Repeat from * 5 more times. K 2, p 8, k 3. Then (p 1, k 1)	2 times	4 times	6 times
19th row: K 1. (P 1, k 1)	2 times	4 times	6 times
* P 2, k 8, p 2, (k 1, p 1) 3 times, k 2. Repeat from * 5 more times. P 2, k 8, p 2, k 1. Then (p 1, k 1)	2 times	4 times	6 times
20th to 24th rows incl: Repeat 18th, 19th, 18th, 17th and 18th rows. Repeat these last 24 rows until piece measures, in all	12½"	13"	13"
To Shape Armholes: Bind off 5 sts at beginning of next 2 rows. Then dec. 1 st at end of each row until there remain	112 sts	120 sts	126 sts
Work straight until piece measures, from 1st row of armhole shaping	4½"	5"	5"
Work in pattern across 1st	32 sts	36 sts	39 sts
Bind off for neck the next 48 sts. Work across the remaining	32 sts	36 sts	39 sts
Work over these sts only for	2"	all sizes	
Bind off loosely. Attach yarn at opposite side and work to correspond.	All sizes		
FRONT NECK BAND . . . With No. 1 needles, right side facing, pick up	76 sts	80 sts	84 sts
Work in ribbing of k 2, p 2, for ¾ inch. Bind off loosely in ribbing.	All sizes		
BACK . . . With No. 1 needles cast on	108 sts	114 sts	120 sts
Work in ribbing of k 2, p 2, for	3"	all sizes	
Dec. 1 st. Change to No. 3 needles and work in moss stitch as follows: **1st row:** K 1, p 1 alternately across, ending with k 1. Repeat this row until piece measures, in all	12½"	13"	13"
To Shape Armholes: Bind off 4 sts at beginning of next 2 rows. Dec. 1 st at end of each row until there remain	85 sts	89 sts	93 sts
Work straight until piece measures, from 1st row of armhole shaping	6½"	7"	7"
Bind off for one shoulder	25 sts	26 sts	27 sts
For back of neck, bind off the next	35 sts	37 sts	39 sts
Bind off for other shoulder the remaining	25 sts	26 sts	27 sts
BACK NECK BAND . . . With No. 1 needles, right side facing, pick up evenly along back of neck	48 sts	52 sts	56 sts
Work in ribbing of k 2, p 2, for ¾ inch. Bind off loosely in ribbing.	All sizes		
SLEEVES . . . With No. 1 needles cast on	98 sts	104 sts	110 sts
Work tightly in ribbing of k 2, p 2, for 1½ inches, decreasing evenly across last row of ribbing	13 sts	15 sts	17 sts
Change to No. 3 needles and work over remaining	85 sts	89 sts	93 sts
In moss stitch as for Back for	3"	all sizes	
To shape top, bind off at beginning of next 2 rows	3 sts	4 sts	5 sts
Bind off 2 sts at beginning of following 4 rows. Dec. 1 st at end of each row until 61 sts remain. Bind off 3 sts at beginning of each row until 19 sts remain. Bind off.	All sizes		
Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up shoulder, underarm and sleeve seams. Sew in sleeves.			

CARDIGAN No. 1213-B

Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART SPORTS YARN, 17 balls (1 oz. balls) for size 14; 18 balls for size 16; 19 balls for size 18.

MILWARD'S Phantom Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 3 (3 mm. size).

7 buttons (for all sizes).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust (sweater buttoned):	36"	38"	40"
Width across back at underarm:	18"	19"	20"
Width across each front at underarm:	9½"	10"	10½"
Width across back between armholes:	14"	14½"	15"
Width across each front at armhole:	7½"	8"	8½"
Length from top of shoulder:	21½"	22"	22"
Length of side seam:	13"	13½"	13½"
Length of sleeve, underarm seam:	18½"	19"	19"
Width of sleeve at upper arm:	13½"	14"	14"

GAUGE: Pattern Stitch measured across twist—20 sts make 2¼ inches; 10 rows make 1 inch.

Sizes	14	16	18
BACK . . . With No. 1 needles cast on	158 sts	166 sts	174 sts
Work tightly in ribbing of k 2, p 2, for	3½"	all sizes	
Change to No. 3 needles and work in pattern as follows: **1st row:** K 1. Then (p 1, k 1)	once	3 times	5 times

* P 2, (k 1, p 1) 3 times; k 2. Repeat from * 14 more times, p 2, k 1.
Then (p 1, k 1) once 3 times 5 times

2nd row: K 1. Then (p 1, k 1) once 3 times 5 times

* K 2, (p 1, k 1) 3 times, p 2. Repeat from * 14 more times, k 3.
Then (p 1, k 1) once 3 times 5 times

3rd and 4th rows: Repeat 1st and 2nd rows. All sizes

5th row: K 1. Then (p 1, k 1) once 3 times 5 times

* P 2, (k 1, p 1) 3 times, k 2, p 2. Make a twist over next 8 sts—*to make a twist, slip next 4 sts onto a double-pointed needle and hold in back of work; k next 4 sts, then k the 4 sts from double-pointed needle.* Repeat from * 6 more times. P 2, (k 1, p 1) 3 times, k 2, p 2, k 1. Then (p 1, k 1) once 3 times 5 times

6th row: K 1. Then (p 1, k 1) once 3 times 5 times

* K 2, (p 1, k 1) 3 times; p 2, k 2, p 8. Repeat from * 6 more times. K 2, (p 1, k 1) 3 times; p 2, k 3. Then (p 1, k 1) once 3 times 5 times

7th row: K 1. Then (p 1, k 1) once 3 times 5 times

* P 2, (k 1, p 1) 3 times; k 2, p 2, k 8. Repeat from * 6 more times. P 2, (k 1, p 1) 3 times; k 2, p 2, k 1. Then (p 1, k 1) once 3 times 5 times

8th to 12th rows incl: Repeat 6th, 7th, 6th, 5th and 6th rows. All sizes

13th to 16th rows incl: Repeat 1st and 2nd rows alternately. 17th row: K 1. Then (p 1, k 1) once 3 times 5 times

* P 2, make a twist over next 8 sts, p 2, (k 1, p 1) 3 times, k 2. Repeat from * 6 more times. P 2, make a twist over next 8 sts, p 2, k 1. Then (p 1, k 1) once 3 times 5 times

18th row: K 1. Then (p 1, k 1) once 3 times 5 times

* K 2, p 8, k 2, (p 1, k 1) 3 times, p 2. Repeat from * 6 more times. K 2, p 8, k 3. Then (p 1, k 1) once 3 times 5 times

19th row: K 1. Then (p 1, k 1) once 3 times 5 times

* P 2, k 8, p 2, (k 1, p 1) 3 times, k 2. Repeat from * 6 more times. P 2, k 8, p 2, k 1. Then (p 1, k 1) once 3 times 5 times

20th to 24th rows incl: Repeat 18th, 19th, 18th, 17th and 18th rows. Repeat these 24 rows until piece measures, in all 13" 13½" 13½"

To Shape Armholes: Bind off at beginning of next 2 rows 5 sts 6 sts 5 sts

Bind off at beginning of following 6 rows 2 sts 2 sts 3 sts

Dec. 1 st at end of each row until there remain 122 sts 126 sts 130 sts

Work straight until piece measures, from 1st row of armhole shaping 7½" 8" 8"

To shape shoulders, bind off at beginning of next 4 rows 8 sts 8 sts 9 sts

Bind off 8 sts at beginning of each row until there remain 42 sts 46 sts 46 sts

Bind off for back of neck. All sizes

BACK NECK BAND . . . With No. 1 needles, right side facing, pick up across back of neck 52 sts 56 sts 56 sts

Work tightly in ribbing of k 2, p 2, for 1 inch. Bind off loosely in ribbing. All sizes

LEFT FRONT . . . With No. 1 needles cast on 88 sts 90 sts 94 sts

Work in ribbing of k 2, p 2, for 3½" all sizes

Dec. 1 st, change to No. 3 needles and work in pattern as follows over the remaining 87 sts 89 sts 93 sts

1st row: * P 2, (k 1, p 1) 3 times; k 2. Repeat from * 7 more times. P 2, k 1. Then for front edge (p 1, k 1) 2 times 3 times 5 times

2nd row: K 1. Then (p 1, k 1) 2 times 3 times 5 times

K 2, * (p 1, k 1) 3 times; p 2, k 2. Repeat from * 7 more times. All sizes

3rd and 4th rows: Repeat 1st and 2nd rows. **5th row:** * P 2, make a twist over next 8 sts, p 2, (k 1, p 1) 3 times, k 2. Repeat from * 3 more times. P 2, k 1. Then (p 1, k 1) 2 times 3 times 5 times

6th row: K 1. Then (p 1, k 1) 2 times 3 times 5 times

K 2, * (p 1, k 1) 3 times; p 2, k 2, p 8, k 2. Repeat from * 3 more times All sizes

These 6 rows establish pattern. Work in pattern, making twists as on Back until piece measures, in all 13" 13½" 13½"

To Shape Armhole: With right side facing, bind off 4 sts once. Then bind off at armhole edge 3 times 3 sts 3 sts 2 sts

Dec. 1 st at armhole edge each row 5 times 4 times 5 times

Dec. 1 st at armhole edge every other row until there remain 62 sts 66 sts 72 sts

Work straight until piece measures, in all 19½" 20½" 20½"

Continue armhole edge straight, but bind off once at front edge, for neck shaping 22 sts 26 sts 30 sts

Work straight over the remaining 40 sts 40 sts 42 sts

Until piece measures, from 1st row of armhole shaping 7½" 8" 8"

Starting at armhole edge, bind off every other row twice 8 sts 8 sts 9 sts

Bind off 8 sts at armhole edge every other row until no sts remain. All sizes

FRONT NECK BAND . . . With No. 1 needles, right side facing, pick up along neck edge 44 sts 48 sts 52 sts

Work in ribbing to correspond with Back neck band. All sizes

RIGHT FRONT . . . Work as for Left Front, reversing shapings and making a buttonhole 3 sts in from front edge after the first 1¾" 2¼" 2¼"
To make a buttonhole in ribbing, bind off 5 sts, and on following row cast on 5 sts to replace those bound off. When making buttonholes in pattern, bind off 3 sts instead of 5 sts.

Make a buttonhole every 3 inches thereafter (measuring from the 1st buttonhole) until 6 buttonholes in all are made. Make 7th buttonhole in line with others, while working neck band.

SLEEVES . . . With No. 1 needles cast on 60 sts 70 sts 70 sts

Work in ribbing of k 2, p 2, for 3½ inches, increasing 12 sts evenly across last row of ribbing. All sizes

Change to No. 3 needles and work in pattern as follows over the 72 sts 82 sts 82 sts

1st row: P 2, * (k 1, p 1) 3 times; k 2, p 2. Repeat from * 6 times 7 times 7 times

2nd row: K 2, * (p 1, k 1) 3 times, p 2, k 2. Repeat from * 6 times 7 times 7 times

These 2 rows establish pattern. Work in pattern, increasing 1 st at both ends of every 6th row until there are 118 sts 126 sts 126 sts

Work straight until piece measures, in all 18½" 19" 19"

To shape top, bind off 6 sts at beginning of next 2 rows. Then dec. 1 st at end of each row 10 times. Bind off 2 sts at beginning of next 10 rows and 3 sts at beginning of each row thereafter until there remain 34 sts 42 sts 42 sts

Bind off. All sizes

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up shoulder, underarm and sleeve seams. Sew in sleeves. Sew on buttons.

Cock O' The Walk

No. 1228

Illustrated on page 12

Sizes 14, 16 and 18

MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED, 8 skeins (2 oz. skeins) for sizes 14 and 16; 10 skeins for size 18. If 4-oz. skeins are used, you will need one-half the amount specified.

Wooden knitting pins, 1 pair No. 13 (9¼ mm. size).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18
Bust (without crochet band):	33"	35"	38"
Width across back at underarm:	16"	17"	18"
Width across each front at underarm:	8½"	9"	10"
Width across back between armholes:	13"	13½"	14"
Width across each front between armholes:	6½"	7"	7¼"
Length from top of shoulder:	21"	21"	22"
Length of side seam:	13½"	13½"	14"
Length of sleeve, underarm seam:	4"	4"	4"
Width of sleeve at upper arm:	13"	13"	14"

GAUGE: 3 sts make 1 inch; 4 rows make 1 inch.

Double yarn is used throughout. Sweater is worked in one piece up to the underarm.

Sizes	14	16	18
Cast on (with double yarn)	98 sts	106 sts	114 sts
1st row: (K 2, p 2, k 4, p 2) twice. Then (k 2, p 2)	2 times	3 times	4 times
(K 2, p 2, k 4, p 2) 4 times. Then (k 2, p 2)	2 times	3 times	4 times
(K 2, p 2, k 4, p 2) twice; then k 2.	All sizes		
2nd row: (P 2, k 2, p 4, k 2) twice. Then (p 2, k 2)	2 times	3 times	4 times
(P 2, k 2, p 4, k 2) 4 times. Then (p 2, k 2)	2 times	3 times	4 times
(P 2, k 2, p 4, k 2) twice; then p 2.	All sizes		

3rd and 4th rows: Repeat 1st and 2nd rows. **5th row:** * K 2, p 2, make a cable —*to make a cable slip the next 2 sts onto a double-pointed needle and hold in back of work, k the next 2 sts, then k the 2 sts from the double-pointed needle;* p 2. Repeat from * once more. Then (k 2, p 2)

	2 times	3 times	4 times
(K 2, p 2, make a cable, p 2) 4 times. Then (k 2, p 2)	2 times	3 times	4 times
(K 2, p 2, make a cable, p 2) twice. Then k 2.	All sizes		

6th row: Same as 2nd row. **7th and 8th rows:** Repeat 1st and 2nd rows. Repeat these 8 rows for pattern until piece measures, in all 13½" 13½" 14"

With right side facing, work across 1st	22 sts	24 sts	26 sts
Bind off the next 6 sts for armhole. For Back, work across the following	42 sts	46 sts	50 sts
Bind off 6 sts for armhole, and work across remaining	22 sts	24 sts	26 sts

LEFT FRONT . . . Turn and work over the last set of sts only, decreasing 1 st at armhole edge every other row

	2 times	3 times	4 times
Work straight until piece measures, from 1st row of armhole shaping	5"	5"	5½"
To shape neck, bind off 7 sts at front edge once.	All sizes		
Work 2 inches straight. Then bind off at armhole edge once	6 sts	7 sts	8 sts
Work 1 row. Then bind off the remaining 7 sts.	All sizes		

BACK . . . Attach yarn at left armhole edge. Dec. 1 st at end of each row until there remain 38 sts 40 sts 42 sts

Work straight until piece measures, from 1st row of armhole shaping	7"	7"	7½"
Bind off at beginning of the next 2 rows	6 sts	7 sts	8 sts
Bind off 6 sts at beginning of the following 2 rows. Then, for back of neck, bind off the remaining 14 sts.	All sizes		

RIGHT FRONT . . . Attach yarn at armhole edge and work to correspond with Left Front. All sizes

SLEEVES . . . Cast on 30 sts 30 sts 34 sts

1st row:	P 1	P 1	K 1, p 2
(K 2, p 2) 3 times, k 4. (P 2, k 2) 3 times. Then	P 1	P 1	P 2, k 1
2nd row:	K 1	K 1	P 1, k 2
(P 2, k 2) 3 times, p 4. (K 2, p 2) 3 times. Then	K 1	K 1	K 2, p 1

Work in pattern as established by these 2 rows, making a cable with center 4 sts on the 5th row and every 8th row thereafter, and increasing 1 st at both ends of every other row 5 times. Work straight until sleeve measures 4 inches. Insert a safety pin on last row worked to mark top of underarm seam. All sizes

To shape top of sleeve, dec. 1 st at end of each row until there remain	22 sts	22 sts	24 sts
Bind off at beginning of the next 2 rows	6 sts	6 sts	7 sts

Work straight over the remaining 10 sts for 2¼ inches. Bind off. Sew the bound-off sts at both sides of sleeve to the edges of the 2¼-inch piece. All sizes

POCKETS (Make 2) . . . Cast on 16 sts. **1st row:** (K 4, p 2) twice, k 4. **2nd row:** (P 4, k 2) twice, p 4. Repeat these 2 rows for pattern, making a cable with the center 4 sts on the 5th row and every 8th row thereafter until piece measures 5 inches. Bind off.

Block to measurements given (BLOCKING DIRECTIONS on page 23.) Work a band of crochet along both front edges as follows, using single strand of yarn **1st row:** * Work s c, ch 1. Repeat from * across. Ch 2, turn. **2nd row:** * Work s c under ch-1, ch 1. Repeat from * across. Ch 2, turn. Repeat 2nd row until band measures 1 inch wide. Fasten off.

Sew shoulder and sleeve seams, and sew in sleeves. With single strand of yarn, work 2 rows of s c around neck edge, holding in to fit. Work 1 row of s c around pockets and sew on pockets as in illustration.

Tea Time No. 1215

Continued from page 5

GAUGE: (Pattern Stitch) 12 sts (1 pattern) make 1½ inches; 10 rows make 1 inch. (Stockinette Stitch) 7 sts make 1 inch; 9 rows make 1 inch.

PATTERN STITCH . . . (A multiple of 12 sts, plus 3.) **1st row:** K 3, * p 1, k 2 tog., 0, p 1, k 1, p 1, k 2 tog., 0, p 1, k 3. Repeat from * across. **2nd row:** P 3, * k 1, p 2 tog., 0, k 1, p 1, k 1, p 2 tog., 0, k 1, p 3. Repeat from * across. **3rd row:** K 3, * p 1, 0, k 2 tog., p 1, k 1, p 1, 0, k 2 tog., p 1, k 3. Repeat from * across. **4th row:** P 3, * k 1, 0, p 2 tog., k 1, p 1, k 1, 0, p 2 tog., k 1, p 3. Repeat from * across. Repeat these 4 rows for pattern.

Sizes	14	16	18
BACK . . . Cast on	108 sts	114 sts	120 sts
Work in ribbing of k 3, p 3, for	6" all sizes		
Inc. 7 sts evenly across last row of ribbing. There are	115 sts	121 sts	127 sts
Work in stockinette stitch (k 1 row, p 1 row) for	6" all sizes		
To Shape Armholes: Bind off at beginning of next 2 rows	4 sts	5 sts	6 sts
Dec. 1 st at end of each row until there remain	99 sts	103 sts	107 sts
Work straight until piece measures, from 1st row of armhole shaping	5¼"	5¼"	5¾"
Next row: With right side facing, knit (for shoulder)	24 sts	26 sts	28 sts
(K 3, p 3) 8 times, k 3 (neck).	All sizes		
For other shoulder, knit remaining	24 sts	26 sts	28 sts
Following row: Purl	24 sts	26 sts	28 sts
(P 3, k 3) 8 times; p 3.	All sizes		
Knit remaining	24 sts	26 sts	28 sts

Repeat last 2 rows alternately until piece

measures, from 1st row of armhole shaping 6½" 6½" 7"

Bind off loosely. All sizes

FRONT . . . Cast on 108 sts 114 sts 120 sts

Work in ribbing of k 3, p 3, for 6" all sizes

Inc. evenly across last row 27 sts 33 sts 27 sts

There are on needle 135 sts 147 sts 147 sts

Work in PATTERN STITCH for 6" all sizes

To Shape Armholes: Bind off at beginning of next 2 rows 5 sts 6 sts 6 sts

Dec. 1 st at end of each row until there remain 109 sts 115 sts 117 sts

Work straight until piece measures, from 1st row of armhole shaping 5¼" 5¼" 5¾"

Next row: For shoulder, work in pattern across 29 sts 32 sts 33 sts

(K 3, p 3) 8 times; k 3 (neck). All sizes

For other shoulder, work in pattern across remaining 29 sts 32 sts 33 sts

Following row: Work in pattern across 29 sts 32 sts 33 sts

(P 3, k 3) 8 times; p 3. All sizes

Work in pattern across remaining 29 sts 32 sts 33 sts

Repeat last 2 rows alternately until piece measures, from 1st row of armhole shaping 6½" 6½" 7"

Bind off loosely. All sizes

SLEEVES . . . Cast on 78 sts 78 sts 84 sts

Work tightly in ribbing of k 3, p 3, for 2" all sizes

Inc. evenly across last row of ribbing 21 sts 21 sts 27 sts

There are on needle 99 sts 99 sts 111 sts

Work in PATTERN STITCH for 2" 2" 2½"

To shape top, bind off 2 sts at beginning of next 2 rows. Then dec. 1 st at end of each row until there remain 79 sts 79 sts 91 sts

Work straight until piece measures, in all 9½" 9½" 10"

Bind off 6 sts at beginning of each row until there remain 19 sts all sizes

Bind off. All sizes

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up shoulder seams (sts designated in directions). Sew up underarm seams. Sew up sleeve seams and sew in sleeves, easing in the fullness across center 3 inches at top of shoulder.

6 sts

Dec. 1 st at end of each row until there remain 71 sts 74 sts 78 sts 82 sts

Work straight until piece measures, from 1st row of armhole shaping 6½" 7" 7" 7½"

Bind off at beginning of next 2 rows 4 sts 5 sts 6 sts 8 sts

Bind off at beginning of following 6 rows 6 sts all sizes

For back of neck, bind off the remaining 27 sts 28 sts 30 sts 30 sts

LEFT FRONT . . . Cast on 51 sts 56 sts 61 sts 61 sts

1st row: * K 3, p 2. Repeat from * to last 6 sts, k 6 (front edge). **2nd row:** K 8, * p 3, k 2. Repeat from * across, ending with p 3. Repeat these 2 rows for 18" all sizes

To Shape Armhole: Bind off at underarm edge once 8 sts 8 sts 10 sts 10 sts

Dec. 1 st at armhole edge every other row until there remain 35 sts 39 sts 41 sts 43 sts

Work straight until piece measures, from 1st row of armhole shaping 5" 5½" 5½" 6"

To shape neck, bind off once at front edge 13 sts 16 sts 17 sts 17 sts

Work straight over the remaining 22 sts 23 sts 24 sts 26 sts

Until armhole measures same as Back armhole. All sizes

Then bind off at armhole edge once 4 sts 5 sts 6 sts 8 sts

Bind off 6 sts at armhole edge every other row 3 times. All sizes

RIGHT FRONT . . . Work to correspond, reversing shapings and making buttonholes 2 sts in from front edge after the first 1½" 2" 2" 2½"

To make a buttonhole, on one row bind off 2 sts; on next row cast on 2 sts to replace those bound off.

Buttonholes are repeated every 3 inches (always measure from 1st buttonhole) until 8 in all are made. All sizes

SLEEVES . . . Starting at wrist, cast on 48 sts 53 sts 53 sts 58 sts

Work tightly in pattern for 3½" all sizes

Inc. 1 st at both ends of next row and one row every inch thereafter until there are 72 sts 77 sts 77 sts 82 sts

Work straight until piece measures 17½" 17½" 18" 18½"

To shape top of sleeve, bind off 5 sts at beginning of next 2 rows. Then dec. 1 st at both ends of every other row 4 times 6 times 6 times 8 times

Dec. 1 st at both ends of every 3rd row until there remain 38 sts 39 sts 39 sts 40 sts

Work straight until piece measures, from 1st row of top shaping 4½" 5" 5" 5½"

Bind off 12 sts at beginning of next 2 rows. Work 2 inches straight over the remaining 14 sts 15 sts 15 sts 16 sts

Bind off. All sizes

POCKETS (Make 2) . . . Cast on 33 sts and work in pattern for 5 inches. Bind off. All sizes

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew shoulder seams, matching patterns. Sew underarm and sleeve seams. Sew both sides of the 2-inch tab at top of sleeve to the bound-off sts; sew in sleeves. Work 2 rows of s c around neck edge, holding in neck edge to fit and having 2nd row of s c on wrong side. Work 1 row of s c along sides of pockets and sew on pockets as in illustration. Sew on buttons. Sew snap fastener at neck edge. Sew in shoulder pads, if desired.

Prophecy No. 1212

Continued from page 14

Dec. 1 st at neck edge every other row until there remain 33 sts 36 sts 36 sts

Work straight until piece measures (from where sts were taken off on pins) 6½" 6½" 7"

Bind off loosely in ribbing, for shoulder. Attach yarn and work other side to correspond. All sizes

FRONT NECK BAND . . . With right side facing, using No. 0 needles, pick up along neck edge 100 sts 100 sts 110 sts

Work in ribbing of k 1, p 1, for 1 inch. Bind off loosely in ribbing. All sizes

BACK . . . Work same as for Front, omitting neck shaping, until piece measures, in all 21½" 22" 23"

Bind off loosely in ribbing. Starting at armhole edge, sew Front shoulder sts to corresponding sts of Back. All sizes

BACK NECK BAND . . . With right side facing, using No. 0 needles, pick up between shoulder seams 68 sts 68 sts 74 sts

Work in ribbing of k 1, p 1, for 1 inch. Bind off loosely in ribbing. All sizes

SLEEVES . . . With right side facing, usi

Prophecy No.

Continued from page 19

Starting with 2nd row of pat in ribbing for 3 inches over
106 sts 110

Dec. 1 st at both ends of ne every 6th row thereafter unti main 56 sts 60 sts 64 sts

Work straight until piece measures
17" 18" 19"

Change to No. 0 needles and work in pattern for 3 inches. Bind off loosely in ribbing. All sizes

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23)—extra length of pieces is taken up when sweater is blocked. Sew seams in neck bands; then turn in ½ inch and whip down loosely on the inside, covering ridge where sts were picked up. Sew up underarm and sleeve seams. Steam all seams lightly through a damp cloth.

Best Girl No. 1216

Illustrated on cover

Sizes 14, 16, 18 and 20

MATERIALS:

CHADWICK'S RED HEART SWEATER WOOL, 8 balls (1 oz. balls) for size 14; 9 balls for size 16; 10 balls for sizes 18 and 20.

MILWARD'S Casein Knitting Pins, 1 pair No. 5 (4 mm. size) and 1 pair No. 9 (5¼ mm. size).

MILWARD'S Steel Crochet Hook No. 1.

7 buttons (for all sizes).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18	20
Bust (sweater buttoned):	33½"	35½"	37½"	39½"
Width across back at underarm:	16½"	17½"	18½"	19½"
Width across each front at underarm:	8¾"	9¼"	9¾"	10¼"
Width across back between armholes:	12½"	13"	13½"	14"
Width across each front at armhole:	6¾"	7"	7¼"	7½"
Length from top of shoulder:	18"	18"	19"	19"
Length of side seam:	11"	11"	11½"	11½"
Length of sleeve, underarm seam:	4½"	4½"	5"	5"
Width of sleeve at upper arm:	13"	13"	14"	14"

GAUGE: While working—6 sts make 1 inch; 6 rows make 1 inch.

Since this pattern stitch is most effective [illegible] small,

row: K 2, * p 2, k 2. Repeat from * across. Repeat these 2 rows alternately (ending with 2nd row) for
4" all sizes

Change to No. 9 needles and work in PATTERN STITCH for
7" 7" 7½" 7½"

To Shape Armholes: Bind off at beginning of next 2 rows
3 sts 3 sts 4 sts 4 sts

Dec. 1 st at end of each row until there remain 64 sts 66 sts 68 sts 70 sts

Work straight until piece measures, from 1st row of armhole shaping
7" 7" 7½" 7½"

Bind off loosely. All sizes

RIGHT FRONT . . . With No. 5 needles cast on 42 sts 46 sts 46 sts 50 sts

Work ribbing as for Back (ending with 2nd row) for
4" all sizes

Change to No. 9 needles and work in PATTERN STITCH for
7" 7" 7½" 7½"

To Shape Armhole: Bind off at underarm edge 3 sts 3 sts 4 sts 4 sts

Dec. 1 st at armhole edge every other row until there remain
33 sts 36 sts 35 sts 38 sts

Work straight until piece measures, from 1st row of armhole shaping
5" 5" 5½" 5½"

To shape neck, starting at front edge, bind off once
14 sts all sizes

Work over remaining
19 sts 22 sts 21 sts 24 sts

Until piece measures, in all
18" 18" 19" 19"

Bind off loosely for shoulder.
All sizes

LEFT FRONT . . . Work to correspond with Right Front. All sizes

SLEEVES . . . With No. 9 needles cast on
46 sts 46 sts 50 sts 50 sts

Work in PATTERN STITCH, increasing 1 st at end of each row until there are on needle 64 sts 64 sts 68 sts 68 sts

Work straight until piece measures
4½" 4½" 5" 5"

To shape top of sleeve, bind off 2 sts at beginning of next 2 rows. Then dec. 1 st at end of each row
4 times 4 times 6 times 6 times

1 st at both ends of every 3rd row there remain
36 sts all sizes

off 12 sts at beginning of next rs. All sizes

rk over remaining 12 sts for 2¼ es. Bind off loosely.
All sizes

rk 4 rows of s c along Right Front e, making 7 buttonloops on 2nd row e at top of ribbing, two on ribbing, four evenly spaced above ribbing)—*make a buttonloop, on 2nd row ch 3, 2 s c, s c in next s c and continue along until 7 buttonloops are made; on 3rd row work s c in each s c and ch across.* Break off. Work 4 rows of s c along Left Front edge, omitting buttonloops.

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up underarm and shoulder seams. Sew both 2¼-inch edges of sleeve to 12 bound-off sts. Sew up sleeve seams and sew in sleeves. Sew on buttons. Work 2 rows of s c around neck edge, preserving square outline. Sew in shoulder pads, if desired.

Square Play No. 1225

Illustrated on page 13

Sizes 14, 16, 18 and 20

MATERIALS:

CHADWICK'S RED HEART SWEATER WOOL, 9 balls (1 oz. balls) for size 14; 10 balls for size 16; 11 balls for size 18; 12 balls for size 20.

Knitting pins, 1 pair No. 10 (6 mm. size).

MILWARD'S Steel Crochet Hook No. 1.

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18	20
Bust:	32"	35"	36"	39"
Width across back at underarm:	16"	17"	18"	19"
Width across each front at underarm:	8"	9"	9"	10"
Width across back between armholes:	12"	12½"	13"	13½"
Width across each front at armhole:	6"	6½"	6½"	7"
Length from top of shoulder:	21"	21"	22"	22"
Length of side seam:	13½"	13½"	14"	14"
Length of sleeve, underarm seam:	4½"	4½"	5"	5"
Width of sleeve at upper arm:	13"	13"	14"	14"

GAUGE: 4 sts make 1 inch; 6 rows make 1 inch.

PATTERN STITCH . . . 1st row: K 4, p 4 alternately across. **2nd row:** Work the sts as they lie on the needle. **3rd and 4th rows:** Repeat 1st and 2nd rows. **5th row:** P 4, k 4 alternately across. **6th row:** Same as 2nd row. **7th and 8th rows:** Repeat 5th and 6th rows. Repeat these 8 rows for pattern.

Sizes	14	16	18	20
BACK . . . Cast on	64 sts	68 sts	72 sts	76 sts
Work straight in PATTERN STITCH for	13½"	13½"	14"	14"
To Shape Armholes: Bind off at beginning of next 2 rows	4 sts	4 sts	5 sts	5 sts

Dec. 1 st at end of each row until there remain
48 sts 50 sts 52 sts 54 sts

Work straight until piece measures, from 1st row of armhole shaping
7" 7" 7½" 7½"

Bind off at beginning of next 2 rows
8 sts 8 sts 8 sts 9 sts

Bind off at beginning of following 2 rows
7 sts 8 sts 8 sts 8 sts

Bind off for back of neck the remaining
18 sts 18 sts 20 sts 20 sts

FRONT . . . Cast on
32 sts 36 sts 36 sts 40 sts

Work straight in PATTERN STITCH for
13½" 13½" 14" 14"

To Shape Armhole: Bind off at beginning of next row
4 sts 4 sts 5 sts 5 sts

Dec. 1 st at armhole edge every other row until there remain
24 sts 27 sts 26 sts 29 sts

Work straight until piece measures, from 1st row of armhole shaping
5½" 5½" 6" 6"

Starting at front edge, bind off for neck shaping once
9 sts 11 sts 10 sts 12 sts

Work straight until piece measures, from 1st row of armhole shaping
7" 7" 7½" 7½"

To shape shoulder, bind off at armhole edge once 8 sts 8 sts 8 sts 9 sts

Then bind off at same edge
7 sts 8 sts 8 sts 8 sts

Pin underarm edge of this Front to underarm of Back, matching patterns. Then work other Front to correspond.
All sizes

SLEEVES . . . Cast on
40 sts 40 sts 44 sts 44 sts

Work in pattern, increasing 1 st at both ends of every 3rd row until there are
52 sts 52 sts 56 sts 56 sts

Work straight until piece measures
4" 4" 4½" 4½"

To shape top of sleeve, bind off at beginning of next 2 rows
3 sts 3 sts 4 sts 4 sts

Then dec. 1 st at both ends of every 4th row until there remain
30 sts all sizes

Bind off 9 sts at beginning of next 2 rows.
All sizes

Work straight over remaining 12 sts for 2¼ inches. Bind off. All sizes

POCKETS (All Sizes) . . . Cast on 20 sts and work in pattern for 5 inches. Bind off. Work 2 rows of s c along bound-off edge (top).

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up underarm and shoulder seams. Sew both 2¼-inch edges to bound-off edges at top of sleeve. Sew in sleeves. Work 3 rows of s c around front and neck edges of jacket, being careful to preserve square neckline; work 3rd row with wrong side facing. Sew in shoulder pads, if desired.

Playmates No. 1217

Illustrated on page 12 7461-5412

SWEATER No. 1217-A

Sizes 14, 16, 18 and 20

MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED, 9 skeins (2 oz. skeins) of White for sizes 14 and 16; 10 skeins for size 18; 11 skeins for size 20. If 4-oz. skeins are used, you will need one-half the amount specified.

CHADWICK'S RED HEART SWEATER WOOL, 1 ball (1 oz. ball) each of Green, Orange and Red, for embroidery. This amount is sufficient for entire set.

MILWARD'S Phantom Knitting Pins, 1 pair No. 2 (2¾ mm. size) and 1 pair No. 4 (3½ mm. size).
9 buttons (for all sizes).

MEASUREMENTS FOR BLOCKING:

Sizes	14	16	18	20
Bust (sweater buttoned):	35½"	37½"	39½"	41½"
Width across back at underarm:	17½"	18½"	19½"	20½"
Width across each front at underarm:	9½"	10"	10½"	11"
Width across back between armholes:	12½"	13"	13¾"	14½"
Width across each front at armhole:	7¼"	7½"	7¾"	8"
Length from top of shoulder:	19"	20"	20"	21"
Length of side seam:	11½"	12"	12"	12½"
Length of sleeve, underarm seam:	17½"	17½"	18½"	18½"
Width of sleeve at upper arm:	13½"	13½"	14"	14"

GAUGE: (Reversed Stockinette Stitch) 6 sts make 1 inch; 7 rows make 1 inch.

WISHBONE PATTERN . . . To be worked over 16 sts as follows: **1st row:** K across. **2nd row:** P across. **3rd to 6th rows incl.:** Repeat 1st and 2nd rows alternately. **7th row:** Slip next 4 sts onto a double-pointed needle and hold in back of work; k next 4 sts, k the 4 sts from double-pointed needle. Slip next 4 sts onto a double-pointed needle and hold in front of work, k next 4 sts, then k the 4 sts from double-pointed needle. **8th row:** P across. Repeat these 8 rows for pattern.

Sizes	14	16	18	20

BACK . . . With No. 2 needles cast on
89 sts 95 sts 101 sts 107 sts

Work in twisted ribbing as follows: **1st row:** (Right side) K into back of st, * p 1, k into back of next st. Repeat from * across. **2nd row:** P 1, * k into back of next st, p 1. Repeat from * across. Repeat these 2 rows alternately for
2½" all sizes

Change to No. 4 needles and work as follows: **1st row:** (Right side) Purl
3 sts 6 sts 9 sts 12 sts

K into back of next st, p 12, work 1st row of WISHBONE PATTERN over next 16 sts, p 12, k into back of next st, p 12, work 1st row of WISHBONE PATTERN over next 16 sts, p 12, k into back of next st. All sizes

Purl 3 sts 6 sts 9 sts 12 sts

2nd row: Knit
3 sts 6 sts 9 sts 12 sts

P 1, k 12, work 2nd row of WISHBONE PATTERN over next 16 sts, k 12, p 1, k 12, work 2nd row of WISHBONE PATTERN over next 16 sts, k 12, p 1.
All sizes

Knit 3 sts 6 sts 9 sts 12 sts

Work in pattern as established on last 2 rows (wishbones are 8 rows apart), increasing 1 st at both ends of every 4th row until there are on needle
115 sts 121 sts 127 sts 133 sts
Work increased sts in p 12, k 1 pattern, as on each side of wishbones.

Work straight in pattern until piece measures, in all
11½" 12" 12" 12½"

To Shape Armholes: Bind off at beginning of next 2 rows
4 sts 5 sts 6 sts 7 sts

Bind off 2 sts at beginning of following 4 rows. All sizes

Dec. 1 st at end of each row until there remain 83 sts 87 sts 91 sts 95 sts

Work straight in pattern until piece measures, from 1st row of armhole shaping 7" 7½" 7½" 8"

To shape shoulders, bind off 10 sts at beginning of next 4 rows.
All sizes

Bind off at beginning of following 2 rows
9 sts 10 sts 10 sts 12 sts

Bind off for back of neck the remaining
25 sts 27 sts 31 sts 31 sts

LEFT FRONT . . . With No. 2 needles cast on 53 sts 55 sts 59 sts 61 sts

Work in twisted ribbing as follows: **1st row:** P 1, * k into back of next st, p 1. Repeat from * across. **2nd row:** (Right side) K into back of st, * p 1, k into back of next st. Repeat from * across. Repeat these 2 rows alternately (ending with 1st row) for
2½" all sizes

Change to No. 4 needles and work as follows: **1st row:** (Right side) Purl
3 sts 5 sts 9 sts 11 sts

K into back of next st, p 12, work 1st row of WISHBONE PATTERN over next 16 sts, p 12. Then (k into back of next st, p 1) 4 times, k into back of next st—*these last 9 sts are front border.* **2nd row:** P 1; (k into back of next st, p 1) 4 times. K 12, work 2nd row of WISHBONE PATTERN over next 16 sts, k 12, p 1. Then knit 3 sts 5 sts 9 sts 11 sts

Work in pattern as established on last 2 rows, making wishbones 8 rows apart as on Back and increasing 1 st at underarm edge every 4th row until there are on needle
65 sts 67 sts 71 sts 73 sts
Work increased sts in p 12, k 1 pattern.

Work straight in pattern until piece measures, in all
11½" 12" 12" 12½"

To Shape Armhole: Starting at underarm edge, bind off once
4 sts 5 sts 6 sts 7 sts

Continued on next page

Playmates No. 1217

Continued from page 21

Then bind off 2 sts at armhole edge every other row twice. **All sizes**

Dec. 1 st at armhole edge every other row until there remain

30 sts	52 sts	54 sts	56 sts

Work straight in pattern until piece measures, from 1st row of armhole shaping

5½"	6"	6"	6½"

Starting at front edge, bind off for neck

21 sts	22 sts	24 sts	24 sts

Work in pattern over the remaining

29 sts	30 sts	30 sts	32 sts

Until piece measures, from 1st row of armhole shaping

7"	7½"	7½"	8"

Shape shoulder by binding off 10 sts at armhole edge every other row twice. **All sizes**

Then bind off at same edge once

9 sts	10 sts	10 sts	12 sts

RIGHT FRONT . . . Work to correspond with Left Front, making a buttonhole 3 sts in from front edge when piece measures

1½"	1½"	1½"	1½"

and every

2"	2"	2"	2¼"

thereafter (always measure from 1st buttonhole) until 9 in all are made. *To make a buttonhole, on one row bind off 3 sts; on next row cast on 3 sts to replace those bound off.*

SLEEVES . . . With No. 2 needles cast on

54 sts	54 sts	60 sts	60 sts

Work in twisted ribbing as for Back for 3½" **all sizes**

Change to No. 4 needles and work as follows: **1st row:** (Right side) Purl

6 sts	6 sts	9 sts	9 sts

K into back of next st, p 12, work 1st row of WISHBONE PATTERN over next 16 sts, p 12, k into back of next st. **All sizes**

Purl	6 sts	6 sts	9 sts	9 sts

2nd row: Knit

6 sts	6 sts	9 sts	9 sts

P 1, k 12, work 2nd row of WISHBONE PATTERN over next 16 sts, k 12, p 1. **All sizes**

Knit	6 sts	6 sts	9 sts	9 sts

Work in pattern as established on last 2 rows, increasing 1 st at both ends of every 5th row until there are

88 sts	88 sts	92 sts	92 sts

Work increased sts in p 12, k 1 pattern.

Work straight in pattern until piece measures, in all

17½"	17½"	18½"	18½"

To shape top, bind off 3 sts at beginning of next 2 rows. Then dec. 1 st at both ends 5 times, making decreases on every

2nd row	3rd row	2nd row	3rd row

Continue to dec. 1 st at end of each row until there remain

42 sts all sizes

Bind off 13 sts at beginning of next 2 rows. Work over remaining 16 sts in WISHBONE PATTERN for 2 inches. Bind off. **All sizes**

Block pieces to measurements given (BLOCKING DIRECTIONS on page 23). Sew up underarm and shoulder seams. Sew the 2-inch wishbone section at top of sleeve to both bound-off edges. Sew up sleeve seams and sew in sleeves. Work 2 rows of s c around neck edge, preserving square neckline and having 2nd row on wrong side. Sew on buttons.

EMBROIDERY . . . See illustration. (Any colors desired may be substituted.) Work embroidery along each wishbone section. Using double strand of Green, embroider a fly stitch about ⅝ inch deep at base of each wishbone, starting at shoulder edge and working downward. With single strand of Red work a running stitch, to cover 3 rows of knitting, directly above center of each fly stitch. With single strand of Orange, starting at bottom and working toward shoulder, make a lazy daisy stitch over Red stitch (after Orange stitch is worked, lift up Red stitch with tip of needle, to make color visible).

MITTENS No. 1217-B

Medium Size

MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED, 2 skeins (2 oz. skeins) of White.

See sweater instructions for embroidery material.

A set of 5 double-pointed steel needles No. 10.

GAUGE: (Reversed Stockinette Stitch) 6½ sts make 1 inch; 9 rnds make 1 inch.

LEFT MITTEN . . . Cast on 48 sts on 3 needles. Join, being careful not to twist sts. Work in rnds of twisted ribbing as follows: **1st rnd:** * K into back of next st, p 1. Repeat from * around. **2nd rnd:** K 1, p 1 alternately around. Repeat these 2 rnds alternately for 3 inches. Divide sts so that there are 24 sts on 1st needle, and 12 sts each on 2nd and 3rd needles. Then work as follows:

1st to 6th rnds incl: On 1st needle p 4, k 16, p 4. Purl over 2nd and 3rd needles. **7th rnd:** P 4, make a wishbone stitch—*to make a wishbone stitch, slip next 4 sts onto 5th needle and hold in back of work, k 4, k 4 sts from 5th needle, slip next 4 sts onto 5th needle and hold in front of work, k 4, k 4 sts from 5th needle.* Purl remainder of rnd. **8th rnd:** Repeat 1st rnd. These 8 rnds constitute the pattern.

Now start thumb gore. **1st rnd:** Work in pattern to within last 3 sts on 3rd needle, k 1, inc. 2 sts in next st (by purling in the front, in the back and in the front of the st), k 1—5 sts in thumb gore. **2nd and 3rd rnds:** Work in pattern around to last 5 sts, k 1, p 3, k 1. **4th rnd:** Work in pattern to within first k st on 3rd needle, inc. in k st—*to inc. in k st, k 1, p 1 in same st.* P 2, inc. in next p st—*to inc. in a p st, p in the back and then in the front of st.* K 1 (7 sts in thumb gore). **5th and 6th rnds:** Work in pattern around, having 1 k st at each side of thumb gore. Continue in this manner, increasing in the first k st and in the st before the second k st on every 3rd rnd (having 2 additional sts between increases on each increase-rnd) until there are 15 sts in thumb gore (including k sts). Work 2 rnds straight in pattern after last increase-rnd. Take off the sts for thumb on a safety pin, to be worked later. Cast on 3 sts for inside of thumb, join and work in pattern around until mitten measures 5 inches from end of ribbing. Discontinue wishbone crossing. Work 1 inch straight.

To Shape Tip: 1st rnd: P 1, p 2 tog., p 1, k 16, p 1, p 2 tog., p 2, p 2 tog., p 18, p 2 tog., p 1. **2nd rnd:** Work straight. **3rd rnd:** P 1, p 2 tog., k 16, p 2 tog., p 2, p 2 tog., p 16, p 2 tog., p 1. **4th rnd:** Work straight. Continue in this manner, decreasing 4 sts every other rnd until 20 sts remain. Weave sts together or bind off and sew.

THUMB . . . Pick up the sts being held for thumb, and 3 sts on the cast-on sts. Divide sts on 3 needles and purl around for 1¾ inches. **Next rnd:** * P 2 tog., p 2. Repeat from * around. Work 1 rnd straight. **Following rnd:** * P 2 tog., p 1. Repeat from * around. **Next rnd:** P 2 tog. all around. Break yarn, leaving an 8-inch end. Draw this end through remaining sts and darn in end on wrong side to reinforce tip.

RIGHT MITTEN . . . Work to correspond, starting thumb gore on 3 sts at beginning of 2nd needle, instead of at end of 3rd needle.

EMBROIDERY . . . See Sweater No. 1217-A.

HOOD No. 1217-C

For Headsize 21-23

MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED, 2 skeins (2 oz. skeins) of White.

See sweater instructions for embroidery material.

MILWARD'S Phantom Knitting Pins, 1 pair No. 2 (2¾ mm. size) and 1 pair No. 4 (3½ mm. size).

5 buttons (to match sweater buttons).

GAUGE: (Reversed Stockinette Stitch) 6 sts make 1 inch; 7 rows make 1 inch.

With No. 2 needles cast on 193 sts. **1st row:** K into back of 1st st, * p 1, k into back of next st. Repeat from * across. **2nd row:** P 1, * k into back of next st, p 1. Repeat from * across. Repeat these 2 rows alternately for 3 inches, ending with 2nd row.

Now work as follows: **1st row:** K into back of 1st st; (p 1, k into back of next st) twice—5 border sts. P 2 together to within last 6 sts; (p 1, k into back of next st) 3 times—102 sts. **2nd row:** P 1, (k into back of next st, p 1) twice, k 35, make a buttonhole—*to make a buttonhole, bind off 2 sts; on next row cast on 2 sts to replace those bound off.* K 8, make a 2nd buttonhole, k 8, make a 3rd buttonhole, k 35, p 1, make a buttonhole, and finish row. **3rd row:** Work straight. **4th row:** Change to No. 4 needles and work as follows: Work as before over 42 sts, inc. in each of next 18 sts, work over remaining 42 sts (120 sts). **5th row:** Work 5 border sts, p 34, k into back of next st, p 12, k 16, p 12,

k into back of next st, p 34, work 5 border sts. **6th row:** Work 5 border sts, k 34, p 1, k 12, p 16, k 12, p 1, k 34, work 5 border sts. **7th to 10th rows incl:** Repeat 5th and 6th rows alternately. **11th row:** Work across 1st 52 sts, make a wishbone stitch over next 16 sts—*to make a wishbone stitch, slip next 4 sts onto double-pointed needle and hold in back of work: k 4, k 4 sts from double-pointed needle. Slip next 4 sts onto double-pointed needle and hold in front of work, k 4, k 4 sts from double-pointed needle.* Work across remaining 52 sts. **12th row:** Same as 6th row. The last 8 rows (5th to 12th rows incl.) constitute pattern. Repeat pattern once more. Then make a buttonhole in line with buttonhole in front border and continue as follows:

1st row: With right side facing, work 5 border sts, p 2 tog., work in pattern to within 7 sts from end of row; p 2 tog., work 5 border sts. Dec. 1 st at both ends, inside of border, each row until 102 sts remain. Then dec. 1 st inside borders at both ends of every other row until 84 sts remain. Work straight until piece measures 8½ inches from top of ribbing. Inc. as follows: work 5 border sts, inc. in next st, work in pattern across to within last 6 sts, inc. in next st, work 5 border sts. **Next row:** Work in pattern across. Repeat last 2 rows alternately until there are 102 sts. Work across 59 sts, place last 16 sts (wishbone sts) onto a safety pin, work across remaining 43 sts. Work over these sts only, increasing inside border every other row 3 more times, at the same time binding off 3 sts at back edge every other row 3 times. Then bind off 4 sts at beginning of each row 6 times. Bind off remaining 13 sts. Attach yarn at opposite end of safety pin and work other side to correspond. Attach yarn to 16 sts of wishbone pattern and continue in pattern for 9 inches. With right side facing, slip 4 sts onto double-pointed needle and bring to front of work. Holding left-hand needle and double-pointed needle parallel, k 2 sts together (1 st from each needle) 4 times. Slip next 4 sts onto double-pointed needle and bring to back of work. Work as before (8 sts remain). **Next row:** P 2 together across. Bind off.

Steam through damp cloth. Sew edges of wishbone pattern to bound-off edges of sides. Sew 2 buttons on left front to correspond with buttonholes in front border. Sew 3 buttons onto sweater to correspond with buttonholes at back of hood.

EMBROIDERY . . . See Sweater No. 1217-A.

CAP No. 1217-D

For Headsize 21-23

MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED, 2 skeins (2 oz. skeins) of White.

See sweater instructions for embroidery material.

MILWARD'S Phantom Knitting Pins, 1 pair No. 2 (2¾ mm. size) and 1 pair No. 4 (3½ mm. size).

MILWARD'S Steel Crochet Hook No. 1.

GAUGE: (Twisted Ribbing) 8 rows make 1 inch.

WISHBONE PATTERN . . . See Sweater No. 1217-A on page 21.

BACK . . . With No. 4 needles cast on 24 sts and work as follows: **1st row:** P 4, k 16 (wishbone sts), p 4. **2nd row:** K 4, p 16, k 4. These 2 rows establish pattern. Work in pattern, increasing 1 st at both ends of next row and one row every inch thereafter until there are 34 sts. Work straight until piece measures 5½ inches. Bind off 2 sts at beginning of next 4 rows. Dec. 1 st at end of following 4 rows. Bind off remaining 22 sts.

FRONT . . . With No. 2 needles cast on 123 sts and work in twisted ribbing as follows: **1st row:** K into back of 1st st, * p 1, k into back of next st. Repeat from * across. **2nd row:** P 1, * k into back of next st, p 1. Repeat from * across. Repeat these 2 rows alternately for 1 inch. Inc. 1 st at both ends of next row and one row every ½ inch thereafter until there are 137 sts on needle. Work straight until piece measures 4½ inches in all. **Next row:** Work across to within last 7 sts, turn. **Following row:** Repeat last row. **Next row:** Work across to within last 14 sts, turn. **Following row:** Repeat last row. Continue thus, working 7 sts less at end of each row until 11 sts remain; turn. Work tightly in pattern across left-hand needle (74 sts). Work 1 row tightly (137 sts). Bind off tightly, knitting every 5th and 6th st together while binding off.

CORD . . Cut 6 strands of White, each 4 yds. long. Twist strands tightly; double twisted strands and give them a second twist in the opposite direction. Knot free ends.

Pin out back piece to measure 6½ inches down center, 3 inches along bottom, and 4½ inches at wide t point—be sure to pin decreased edge at top to form a smooth curve. Press through damp cloth and allow to dry before removing pins. Sew cast-on edges of front along upper 3 sides of back. Run cord in and out along entire lower edge.

EMBROIDERY . . . See Sweater No. 1217-A.

General Information

GAUGE . . . For perfect results your number of stitches and rows to the inch should correspond with that in the directions. Before starting your article, make a small sample of the stitch. If your working tension is too tight or too loose, use a finer or coarser needle, to obtain the correct gauge.

BLOCKING DIRECTIONS . . . Using rust-proof pins, pin individual pieces right-side-down on Turkish towels, following MEASUREMENTS FOR BLOCKING given at beginning of directions. Do not stretch any ribbing. Press with a hot iron, through a damp cloth. When thoroughly dry, remove pins. Then sew pieces together as directed.

LAUNDERING . . . Before laundering, measure garment carefully and record all important measurements. Launder garment in mild soap or soap flakes dissolved in lukewarm water, by squeezing suds through garment; never rub or wring. Rinse several times in clear water of the same temperature, always keeping garment well supported in hands. Lay garment out carefully on Turkish towels, following recorded measurements; do not stretch any ribbing. Allow to dry thoroughly. Press, where necessary, through a damp cloth.

WHEN PURCHASING YARN . . . Be sure to buy sufficient yarn of the *same dye lot* to complete the garment you wish to make. It is impossible to avoid slight variation in color in different dye lots.

ABBREVIATIONS . . . Knit—**k**; purl—**p**; stitch(es)—**st(s)**; round—**rnd**; increase—**inc.**; decrease—**dec.**; inclusive—**incl.**; together—**tog.**; yarn over—**0**; pass sl st over k st—**p.s.s.o.**; slip stitch—**sl st.**

* (asterisk) . . . Repeat the instructions following the asterisk as many more times as specified, in addition to the original.

Simple Knitting Stitches



CASTING ON



PURLING



KNITTING PLAIN



GARTER STITCH and BINDING OFF

For detailed instructions see the new "Learn How Book" No. 145

PRICE 10 CENTS

BOOK No. 15

So You're Going to KNIT A SWEATER!

BEST GIRL No. 1216

DIRECTIONS ON PAGE 20

CHADWICK'S RED HEART WOOLS